










	DELL E2216H	DELL E2218HN	DELL SE2219H	DELL P2219H	DELL P2319H	DELL SE2417HG	DELL SE2419H	DELL E2417H	DELL S2419H
Panel Size	21.5" 16:9	21.5" 16:9	21.5" 16:9	22" 16:9	23" 16:9	23.8" 16:9	23.8" 16:9	23.8" 16:9	23.8" 16:9
Panel Type	TN	TN	IPS	IPS	IPS	TN Gaming	IPS	IPS	IPS
Pixel Pitch (mm)	0.248	0.248	0.248	0.248	0.2652	0.2745	0.2745	0.2745	0.2745
Brightness	250	250	250	250	250	300	250	250	250
Contrast Ratio	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
Dynamic contrast	2.000.000:1	2.000.000:1	2.000.000:1	4.000.000:1	4.000.000:1	8.000.000:1	8.000.000:1	8.000.000:1	8.000.000:1
Horiz. Viewing Angle	170°	170°	178°	178°	178°	170°	178°	178°	178°
Vert. Viewing Angle	160°	160°	178°	178°	178°	160°	178°	178°	178°
Maxx Resolution	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080	1920x1080
Input Signals	VGA, DisplayPort	VGA, HDMI 1.4	VGA, HDMI 1.4	VGA, HDMI 1.4 DisplayPort 1.2	VGA, HDMI 1.4 DisplayPort 1.2	VGA, 2* HDMI	VGA HDMI 1.4	VGA, DisplayPort v1.2	2*HDMI 1.4
Integrated Speakers	-	-	-	-	-	Line out	-	-	2*5W, Line out
Video Response GtG	5 ms	5 ms	5 ms	6 ms	6 ms	2 ms	5 ms	8 ms	5 ms
Horizontal Scanning Frequency (kHz)	Analog: 30-93 Digital: 30-83	Analog: 30-93 Digital: 30-83	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81
Net Weight (Kg)	3.36	3.36	4.8	2.81 (panel only)	7.0	4.07	56-75	56-75	56-75
Physical Dimensions WxHxD	512.2x396.7x180	512.2x396.7x180	489x295.6	490x354.4- 477.8x180	532x357.1- 487.1x180	555.2x422.5x180	539x413.6x152.8	562.6x425.1x180	539x413.4x152.8
Power Consumption	18 watts	18 watts	18 watts	17 watts	18 watts	20W	26 watts	22W	26 watts
Casing Color	Black	Black	Black	Black or White	Black or White	Black	Silver-Black	Black	Silver-Black
Warranty	3 year	3 year	3 year	3 year	3 year	3 year	3 year	3 year	3 year
Special Features	Tilt	Tilt (-5° to 21°)	Ultrathin bezel Tilt (-5° to 21°)	Pivot, Swivel Height Adjust. HUB USB3.0	Pivot, Swivel Height Adjust. HUB USB3.0	Tilt (-5° to 21°)	Tilt (-5° to 21°)	Tilt	Tilt (-5° to 21°)
VESA (Wall mount)	100x100mm	100x100mm	-	100x100mm	100x100mm	-	-	-	-
המחירים בש"ח כולל מע"מ									
	520	540	585	770	820	655	680	725	865

	DELL S2419HGF	DELL P2418D	DELL P2419H	DELL P2419HC	DELL P2415Q	DELL P2418HT	DELL U2414H	DELL U2412M	DELL U2415
Panel Size	23.8" 16:9	23.8" 16:9	23.8" 16:9	23.8" 16:9	23.8" 16:9	23.8" 16:9	23.8" 16:9	24" 16:10	24.1" 16:10
Panel Type	TN Superfast	IPS	IPS	IPS	IPS 4K	IPS Touch	IPS	AH-IPS	AH-IPS
Pixel Pitch (mm)	0.2767	0.205	0.275	0.275	0.13725	0.2745	0.2745	0.27	0.27
Brightness	350	300	300	300	300	250	250	300	300
Contrast Ratio	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
Dynamic contrast	8.000.000:1	2.000.000:1	2.000.000:1	2.000.000:1	2.000.000:1	8.000.000:1	2.000.000:1	2.000.000:1	2.000.000:1
Horiz. Viewing Angle	170°	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	160°	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	1920x1080	2560x1440	1920x1080	1920x1080	3840 x 2160	1920x1080	1920x1080	1920x1200	1920x1200
Input Signals	2*HDMI 1.4 DisplayPort v1.2	HDMI v1.4 DisplayPort v1.2	VGA, HDMI v1.4 DisplayPort v1.2	HDMI, USB -C DisplayPort In/Out	HDMI (MHL) 3* DisplayPort	VGA, HDMI 1.4 DisplayPort 1.2	2* HDMI (MHL) 2* DisplayPort	VGA, DVI-D DisplayPort	miniDP, 2* HDMI 2* DisplayPort
Integrated Speakers	Line in // out	-	-	-	Line out	Line out	-	-	Line out
Video Response time Gray-to-gray (rice+fall)	1 ms	5(8) ms	5(8) ms	5(8) ms	8 ms	6 ms	8 ms	8 ms	6 ms
Horizontal Scanning Frequency (kHz)	Analog: 30-93 Digital: 30-140	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81
Vertical Scanning Hz	40- 144Hz	56-75	56-75	56-75	56-75	56-75	56-75	56-75	56-75
Net Weight (Kg)	7.55	3.44 (panel only)	7.1	7.26	8.68	3.12 (panel only)	4.2	3.97	4.25
Physical Dimensions WxHxD	565x336.8x177.8	538.9x356.9- 486.9x180	537.8x356.1- 486.1x166	537.8x356.1- 486.1x166	566x369-499x205	537.8x323.2- 419.6x234.8	539.1x355.8- 485.8x185	556x513.5x180.3	532.2x402.9~517.9x 205.0
Power Consumption	26 watts	20 watts	20 watts	20 watts	90W	18 watts	16-74 watts	38 watts	23 watts
Casing Color	Silver-Black	Silver-Black	Black	Black	Black	Black	Silver-Black	Black or White	Silver-Black
Warranty	3 year	3 year	3 year	3 year	5 year	5 year	3 year	3 year	3 year
Special Features	Pivot, Swivel, HA HUB USB3.0 FreeSync™	Pivot, Swivel Height Adjust. HUB USB3.0	Pivot, Swivel Height Adjust. HUB USB3.0	Pivot, Swivel Height Adjust. HUB USB3.0	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0	10 touch-points HUB USB3.0 Outstanding usability	Pivot, Swivel Height Adjust. HUB USB3.0	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0
VESA (Wall mount)	100x100mm	100x100mm	100x100mm	100x100mm	+	100x100mm	+	+	+
המחירים בש"ח כולל מע"מ									
	1075	1260	890	1195	2060	1570	1075	1080	1215

	DELL U2417H	DELL U2419H	DELL U2518D	DELL SE2719H	DELL S2719H	DELL P2719H	DELL P2719HC	DELL U2717D	DELL U2719D
Panel Size	23.8" 16:9	23.8" 16:9	25" 16:9	27" 16:9	27" 16:9	27" 16:9	27" 16:9	27" 16:9	27" 16:9
Panel Type	IPS	IPS	AH-IPS	IPS	IPS	IPS	IPS	AH-IPS	AH-IPS
Pixel Pitch (mm)	0.2745	0.2745	0.216	0.311	0.311	0.311	0.311	0.231	0.233
Brightness	250	250	350	300	250	300	300	350	350
Contrast Ratio	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1	1000:1
Dynamic contrast	2.000.000:1	2.000.000:1	2.000.000:1	8.000.000:1	8.000.000:1	4.000.000:1	4.000.000:1	2.000.000:1	2.000.000:1
Horiz. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	178°	178°	178°	178°	178°	178°	178°	178°
Maxx Resolution	1920x1080	1920x1080	2560x1440	1920x1080	1920x1080	1920x1080	1920x1080	2560x1440	2560x1440
Input Signals	miniDP, HDMI DisplayPort In/O	HDMI v1.4 DisplayPort In/O	miniDP, HDMI 2*DisplayPort	VGA HDMI v1.4	2*HDMI v1.4	VGA, HDMI 1.4 DisplayPort 1.2	USB Type-C DPport, HDMI	miniDP, HDMI 2*DisplayPort	HDMI v1.4 DisplayPort In/O
Integrated Speakers	Line out	Line out	Line out	-	2*5W , Line in/out	Line out	Line out	Line out	Line out
Video Response time Gray-to-gray (rice+fall)	6 ms	5 ms	5 ms	5 ms	5 ms	5 ms	5 ms	6(8) ms	5(8) ms
Horizontal Scanning Frequency (Hz)	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-83	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81
Vertical Scanning kHz	60	60	60	48-75	56-75	56-75	56-75	56-75	56-75
Net Weight (Kg)	3.18 (panel only)	3.14 (panel only)	3.44	5.6	7.86	9.05	9.05	7.0	8.52
Physical Dimensions WxHxD	537.6X355.3- 485.3X188	538.5X348.4- 478.4X188	569x397.2~527.2 x200.1	611.5x454.2x187	612.1x454.7 x188	609.9x394.3- 524.3x185	609.9x394.3- 524.3x185	611.3 x 410.2 x 200.3	612x390-520x180
Power Consumption	19 watts	19 watts	28 watts	20W	26W	23 watts	23 watts	28-36 watts	30 watts
Casing Color	Gray-Black	Gray-Black	Silver-Black	Black	Silver-Black	Black	Black	Black	Black
Warranty	3 year	3 year	3 year	3 year	3 year	3 year	3 year	3 year	3 year
Special Features	5.3mm border Tilt, Pivot, Height Adjustable, Swivel	HUB USB3.0 Tilt, Pivot, Height Adjustable, Swivel	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0	Tilt Narrow Bezel 3-side	Tilt (-5° to 21°)	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0
VESA (Wall mount)/USB	+/ HUB USB3.0	+/ HUB USB3.0	100x100mm	+ / HUB USB2.0	-	100x100mm	100x100mm	100x100mm	100x100mm
המחירים בש"ח כולל מע"מ									
	1075	1195	1755	840	1265	1170	1470	2200	2455

	DELL U2719DC	DELL U2718Q	DELL UP3017	DELL U3219Q	DELL UP3218K	DELL U3419W	DELL U3818DW	DELL P4317Q	DELL U4919DW
Panel Size	27" 16:9	27" 16:9	30" 16:10	31.5" 16:9	31.5" 16:9	34" 21:9	37.5" 21:9	43" 16:9	49" 32:9
Panel Type	AH-IPS	IPS 4K	IPS	AH-IPS 4K	AH-IPS 8K	IPS Curved	IPS Curved	IPS 4K	IPS Curved
Pixel Pitch (mm)	0.233	0.1554	0.251	0.182	0.091	0.2325	0.2325	0.245	0.234
Brightness	350	350	350	400	400	300	350	350	350
Contrast Ratio	1000:1	1300:1	1000:1	1000:1	1300:1	1000:1	1000:1	1000:1	1000:1
Dynamic contrast	2.000.000:1	2.000.000:1	2.000.000:1	2.000.000:1	2.000.000:1	5.000.000:1	5.000.000:1	2.000.000:1	2.000.000:1
Horiz. Viewing Angle	178°	178°	178°	176°	178°	178°	178°	178°	178°
Vert. Viewing Angle	178°	178°	178°	176°	178°	178°	178°	178°	178°
Maxx Resolution	2560x1440	3840 x 2160	2560x1600	3840 x 2160	7680 x 4320	3440 x 1440	3840 x 1600	3840 x 2160	5120 x 1440
Input Signals	USB Type-C HDMI v1.4 DisplayPort In/O	miniDP, 1xHDMI 1*DisplayPort	2*HDMI v1.4 mini-DP DisplayPort In/O	USB Type-C HDMI v2.0 DisplayPort v1.4	2 * DisplayPort	USB Type-C HDMI v2.0 DisplayPort v1.4	2*HDMI v2.0 USB Type-C DisplayPort	2xHDMI (MHL) VGA, mini-DP DisplayPort	USB Type-C 2 * HDMI v2.0 DisplayPort v1.4
Integrated Speakers	Line out	Line out	Line out	Line out	Line out	-	2*9W , Line in/out	2x5W	-
Video Response time Gray-to-gray (rice+fall)	5(8) ms	6 ms	6 ms	6 ms	6 ms	5 ms	5(8) ms	8 ms	5(8) ms
Horizontal Scanning Frequency (kHz)	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81	Analog: 30-93 Digital: 30-81
Vertical Scanning kHz	56-75	56-75	60	60 Hz - DP	60 Hz - DP	60 Hz - DP	60 Hz - DP	56-75	56-75
Net Weight (Kg)	8.52	6.1	6.49 (panel only)	12.4	17	8.2	9.05 (panel only)	17.4	17.4
Physical Dimensions WxHxD	612x390-520x180	611.3 x 410.2-540.2 x 200.3	686.9x482.3- 623.3x217	712.5x468.7- 618.1x220	721.4x617.2x216	813.6x417- 532x226.4	894.0x432- 547x226.4	973.1x658x250	1214x459.8 x251.5
Power Consumption	30 watts	30 watts	54 watts	43 watts	87 watts	54W	56W	70W	60W
Casing Color	Black	Black	Black Gray	Black	Silver-Black	Silver-Black	Silver-Black	Black	Black
Warranty	3 year	5 year	5 year	3 year	3 year	3 year	3 year	3 year	3 year
Special Features	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0	Tilt Pivot Swivel, Height Adjustable Color calibration	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0	Tilt Pivot Swivel, Height Adjustable Media Card Read	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0	Tilt, Pivot, Height Adjustable, Swivel HUB USB3.0 , PiP	Four monitors- One display PiP x4, x2	PbP HUB USB3.0
VESA (Wall mount)/USB	100x100mm	100x100mm	+/ HUB USB3.0	100x100mm	+/ HUB USB3.0	100x100mm	+/ HUB USB3.0	+/ HUB USB3.0	100x100mm
המחירים בש"ח כולל מע"מ									
	2710	2710	5850	4630	4130\$ לא כולל מע"מ	4770	6920	3860	6450